

5MG Thimbles

Sample ID: 2111CSALA7909.1775

Matrix: Other

Type: Other

Sample Size: 1 units

Batch Size: 10000 units

Batch#:

Produced: 11/15/2021

Collected: 11/16/2021

Received: 11/16/2021

Completed: 11/18/2021

Client

MBX Industries

Lic. #

5615 Industrial Place

Colorado Springs, CO 80916



Summary

Pass
0.7477%

Total Cannabinoids

Pass

Pesticides

Pass

Residual Solvents

Pass

Microbials

Pass

Mycotoxins

Pass

Heavy Metals

NT

Moisture

Moisture Analyzer SOP-103

Pass
0.610 aw

Water Activity

 Water Activity Meter SOP-102
 Date Tested: 11/16/2021

Pass

Foreign Matter

 Visual Inspection SOP-600
 Date Tested: 11/16/2021

Cannabinoids

Pass

Testing method: HPLC-SOP 101

| Analyte | LOD | | LOQ | | Results | | Results |
|---------|--------|--------|--------|--------|---------|--------|---------|
| | % | % | % | % | % | mg/g | |
| CBD | 0.0018 | 0.0025 | 0.0025 | 0.0025 | 0.5278 | 0.5278 | 5.2778 |
| Δ9-THC | 0.0021 | 0.0025 | 0.0025 | 0.0025 | 0.1007 | 0.1007 | 1.0073 |
| CBT * | 0.0021 | 0.0098 | 0.0098 | 0.0098 | 0.0694 | 0.0694 | 0.6939 |
| CBG | 0.0023 | 0.0025 | 0.0025 | 0.0025 | 0.0208 | 0.0208 | 0.2082 |
| CBC | 0.0021 | 0.0025 | 0.0025 | 0.0025 | 0.0187 | 0.0187 | 0.1871 |
| CBDV | 0.002 | 0.0025 | 0.0025 | 0.0025 | 0.0062 | 0.0062 | 0.0618 |
| CBN | 0.0025 | 0.0025 | 0.0025 | 0.0025 | 0.0041 | 0.0041 | 0.0411 |
| CBCA * | 0.0022 | 0.0025 | 0.0025 | 0.0025 | ND | ND | ND |
| CBDa | 0.0013 | 0.0025 | 0.0025 | 0.0025 | ND | ND | ND |
| CBDVA * | 0.0024 | 0.0025 | 0.0025 | 0.0025 | ND | ND | ND |
| CBGa | 0.0019 | 0.0025 | 0.0025 | 0.0025 | ND | ND | ND |
| THCa | 0.0018 | 0.0025 | 0.0025 | 0.0025 | ND | ND | ND |
| THCV | 0.0024 | 0.0025 | 0.0025 | 0.0025 | ND | ND | ND |
| THCVA * | 0.0024 | 0.0025 | 0.0025 | 0.0025 | ND | ND | ND |
| Δ8-THC | 0.0022 | 0.0025 | 0.0025 | 0.0025 | ND | ND | ND |

0.1007%
Total THC
0.5278%
Total CBD

1 serving = 1 Gummy, 5.415 grams; 7.0 servings per package; 38.1826

mg/package Total THC; 200.054 mg/package Total CBD;

Date Tested: 11/17/2021

Total THC = THCa * 0.877 + d9-THC

Total CBD = CBDa * 0.877 + CBD

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

* Denotes analytes pending ISO-17025 scope addition


 ISO / IEC 17025:2017 ACCREDITED
 LABORATORY
 Accreditation No. 73653



 Neya Jourabchian
 Laboratory Director
 11/18/2021



 Mikaela Gutierrez
 COA Review
 11/18/2021

5MG Thimbles

Sample ID: 2111CSALA7909.1775

Matrix: Other

Type: Other

Sample Size: 1 units

Batch Size: 10000 units

Batch#:

Produced: 11/15/2021

Collected: 11/16/2021

Received: 11/16/2021

Completed: 11/18/2021

Client

MBX Industries

Lic. #

5615 Industrial Place

Colorado Springs, CO 80916

Pesticides

Pass

Testing method: LCMS & GCMS-SOP 301 and 302

| Analyte | LOD | LOQ | Limit | Results | Status | Analyte | LOD | LOQ | Limit | Results | Status |
|---------------------|--------|--------|--------|---------|--------|-------------------------|--------|--------|--------|---------|--------|
| | µg/g | µg/g | µg/g | µg/g | | | µg/g | µg/g | µg/g | µg/g | |
| Abamectin | 0.037 | 0.068 | 0.3 | ND | Pass | Fludioxonil | 0.05 | 0.078 | 30 | ND | Pass |
| Acephate | 0.035 | 0.078 | 5 | ND | Pass | Hexythiazox | 0.041 | 0.078 | 2 | ND | Pass |
| Acequinocyl | 0.033 | 0.078 | 4 | ND | Pass | Imazalil * | 0.047 | 0.078 | 0.047 | ND | Pass |
| Acetamiprid | 0.034 | 0.078 | 5 | ND | Pass | Imidacloprid | 0.033 | 0.078 | 3 | ND | Pass |
| Aldicarb * | 0.032 | 0.078 | 0.032 | ND | Pass | Kresoxim Methyl | 0.033 | 0.078 | 1 | ND | Pass |
| Azoxystrobin | 0.033 | 0.078 | 40 | ND | Pass | Malathion | 0.05 | 0.078 | 5 | ND | Pass |
| Bifenazate | 0.069 | 0.078 | 5 | ND | Pass | Metalaxyl | 0.036 | 0.078 | 15 | ND | Pass |
| Bifenthrin | 0.067 | 0.078 | 0.5 | ND | Pass | Methiocarb * | 0.05 | 0.078 | 0.05 | ND | Pass |
| Boscalid | 0.045 | 0.078 | 10 | ND | Pass | Methomyl | 0.04 | 0.078 | 0.1 | ND | Pass |
| Captan | 0.3188 | 0.625 | 5 | ND | Pass | Methyl Parathion * | 0.0387 | 0.0781 | 0.0387 | ND | Pass |
| Carbaryl | 0.04 | 0.078 | 0.5 | ND | Pass | Mevinphos * | 0.034 | 0.078 | 0.034 | ND | Pass |
| Carbofuran * | 0.034 | 0.078 | 0.034 | ND | Pass | Myclobutanil | 0.062 | 0.078 | 9 | ND | Pass |
| Chlorantraniliprole | 0.033 | 0.078 | 40 | ND | Pass | Naled | 0.052 | 0.078 | 0.5 | ND | Pass |
| Chlordane * | 0.0245 | 0.0781 | 0.0245 | ND | Pass | Oxamyl | 0.033 | 0.078 | 0.2 | ND | Pass |
| Chlorfenapyr * | 0.0178 | 0.0781 | 0.0178 | ND | Pass | Paclobutrazol * | 0.062 | 0.078 | 0.062 | ND | Pass |
| Chlorpyrifos * | 0.033 | 0.078 | 0.033 | ND | Pass | Pentachloronitrobenzene | 0.0358 | 0.0781 | 0.2 | ND | Pass |
| Clofentezine | 0.047 | 0.078 | 0.5 | ND | Pass | Permethrin | 0.05 | 0.078 | 20 | ND | Pass |
| Coumaphos * | 0.041 | 0.078 | 0.041 | ND | Pass | Phosmet | 0.033 | 0.078 | 0.2 | ND | Pass |
| Cyfluthrin | 0.148 | 0.156 | 1 | ND | Pass | Piperonyl Butoxide | 0.039 | 0.078 | 8 | ND | Pass |
| Cypermethrin | 0.079 | 0.156 | 1 | ND | Pass | Prallethrin | 0.041 | 0.078 | 0.4 | ND | Pass |
| Daminozide * | 0.043 | 0.078 | 0.043 | ND | Pass | Propiconazole | 0.04 | 0.078 | 20 | ND | Pass |
| DDVP * | 0.037 | 0.078 | 0.037 | ND | Pass | Propoxur * | 0.041 | 0.078 | 0.041 | ND | Pass |
| Diazinon | 0.031 | 0.078 | 0.2 | ND | Pass | Pyrethrins | 0.188 | 0.22 | 1 | ND | Pass |
| Dimethoate * | 0.028 | 0.078 | 0.028 | ND | Pass | Pyridaben | 0.059 | 0.078 | 3 | ND | Pass |
| Dimethomorph | 0.033 | 0.078 | 20 | ND | Pass | Spinetoram | 0.042 | 0.078 | 3 | ND | Pass |
| Ethoprophos * | 0.029 | 0.078 | 0.029 | ND | Pass | Spinosad | 0.038 | 0.079 | 3 | ND | Pass |
| Etofenprox * | 0.038 | 0.078 | 0.038 | ND | Pass | Spiromesifen | 0.038 | 0.078 | 12 | ND | Pass |
| Etoxazole | 0.034 | 0.078 | 1.5 | ND | Pass | Spirotetramat | 0.031 | 0.078 | 13 | ND | Pass |
| Fenhexamid | 0.072 | 0.078 | 10 | ND | Pass | Spiroxamine * | 0.031 | 0.078 | 0.031 | ND | Pass |
| Fenoxycarb * | 0.028 | 0.078 | 0.028 | ND | Pass | Tebuconazole | 0.034 | 0.078 | 2 | ND | Pass |
| Fenpyroximate | 0.025 | 0.078 | 2 | ND | Pass | Thiacloprid * | 0.033 | 0.078 | 0.033 | ND | Pass |
| Fipronil * | 0.057 | 0.078 | 0.057 | ND | Pass | Thiamethoxam | 0.039 | 0.078 | 4.5 | ND | Pass |
| Flonicamid | 0.043 | 0.078 | 2 | ND | Pass | Trifloxystrobin | 0.039 | 0.078 | 30 | ND | Pass |

Date Tested: 11/16/2021

* Denotes Category I pesticides, which fail when detected; LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED
 LABORATORY
 Accreditation No. 73653



 Neyajourbchian
 Laboratory Director
 11/18/2021



 Mikaela Gutierrez
 COA Review
 11/18/2021

5MG Thimbles

Sample ID: 2111CSALA7909.1775

Matrix: Other

Type: Other

Sample Size: 1 units

Batch Size: 10000 units

Batch#:

Produced: 11/15/2021

Collected: 11/16/2021

Received: 11/16/2021

Completed: 11/18/2021

Client

MBX Industries

Lic. #

5615 Industrial Place

Colorado Springs, CO 80916

Microbials

Testing method: PCR-SOP 401

Pass

| Analyte | Result | Status |
|-------------------------------|--------------|--------|
| Salmonella | Not Detected | Pass |
| Shiga toxin-producing E. Coli | Not Detected | Pass |

Date Tested: 11/17/2021

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

Mycotoxins

Testing method: LCMS-SOP 301

Pass

| Analyte | LOD | LOQ | Limit | Results | Status |
|------------------|-------|-------|-------|---------|--------|
| | µg/kg | µg/kg | µg/kg | µg/kg | |
| Aflatoxin B1 | 2.0 | 3.9 | | ND | Tested |
| Aflatoxin B2 | 3.0 | 3.9 | | ND | Tested |
| Aflatoxin G1 | 2.4 | 3.9 | | ND | Tested |
| Aflatoxin G2 | 3.1 | 3.9 | | ND | Tested |
| Total Aflatoxins | 10.5 | 15.6 | 20 | ND | Pass |
| Ochratoxin A | 6.4 | 15.5 | 20 | ND | Pass |

Date Tested: 11/16/2021

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

Heavy Metals

Testing method: ICPMS-SOP 502

Pass

| Analyte | LOD | LOQ | Limit | Results | Status |
|---------|-------|------|-------|---------|--------|
| | µg/g | µg/g | µg/g | µg/g | |
| Arsenic | 0.005 | 0.05 | 1.5 | <LOQ | Pass |
| Cadmium | 0.003 | 0.05 | 0.5 | ND | Pass |
| Lead | 0.01 | 0.05 | 0.5 | <LOQ | Pass |
| Mercury | 0.002 | 0.05 | 3 | <LOQ | Pass |

Date Tested: 11/16/2021

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED
 LABORATORY
 Accreditation No. 73653

 Neya Jourabchian
 Laboratory Director
 11/18/2021

 Mikaela Gutierrez
 COA Review
 11/18/2021

5MG Thimbles

Sample ID: 2111CSALA7909.1775

Matrix: Other

Type: Other

Sample Size: 1 units

Batch Size: 10000 units

Batch#:

Produced: 11/15/2021

Collected: 11/16/2021

Received: 11/16/2021

Completed: 11/18/2021

Client

MBX Industries

Lic. #

5615 Industrial Place

Colorado Springs, CO 80916

Residual Solvents

Testing method: HSGCMS-SOP 202

Pass

| Analyte | LOD | LOQ | Limit | Results | Status |
|--------------------|-------|--------|-------|---------|--------|
| | µg/g | µg/g | µg/g | µg/g | |
| 1,2-Dichloroethane | 0.08 | 1.0 | 1 | ND | Pass |
| Acetone | 9.19 | 50.0 | 5000 | ND | Pass |
| Acetonitrile | 17.49 | 58.35 | 410 | ND | Pass |
| Benzene | 0.09 | 1.0 | 1 | ND | Pass |
| Butane | 35.32 | 117.8 | 5000 | ND | Pass |
| Chloroform | 0.21 | 1.0 | 1 | ND | Pass |
| Ethanol | 14.96 | 50.0 | 5000 | 1452.5 | Pass |
| Ethyl acetate | 12.8 | 50.0 | 5000 | ND | Pass |
| Ethylene Oxide | 0.3 | 1.0 | 1 | ND | Pass |
| Ethyl ether | 16.0 | 53.36 | 5000 | ND | Pass |
| Heptane | 42.11 | 140.48 | 5000 | ND | Pass |
| Isopropyl alcohol | 19.79 | 66.02 | 5000 | ND | Pass |
| Methanol | 149.0 | 497.01 | 3000 | ND | Pass |
| Methylene chloride | 0.11 | 1.0 | 1 | ND | Pass |
| Hexane | 33.99 | 113.37 | 290 | ND | Pass |
| Pentane | 28.08 | 93.67 | 5000 | ND | Pass |
| Propane | 42.44 | 141.57 | 5000 | ND | Pass |
| Toluene | 23.99 | 80.03 | 890 | ND | Pass |
| Trichloroethylene | 0.06 | 1.0 | 1 | ND | Pass |
| Total xylenes | 65.49 | 218.45 | 2170 | ND | Pass |

Date Tested: 11/17/2021

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED
 LABORATORY
 Accreditation No. 73653

 Neya Jourabchian
 Laboratory Director
 11/18/2021

 Mikaela Gutierrez
 COA Review
 11/18/2021